

CUSTOMER 客户.

规格书编号

SPEC NO:

产品规格书 SPECIFICATION

CESTOWIER D / .								
PRODUCT 产品:	CERAMIC FILTER							
MODEL NO 型 号:	LTWC450F							
PREPARED 编 制:	fengyu		_ CHECKED 审	核 <u>:</u> yo	ork			
APPROVED 批 准:	lijiating		DATE 目 持	期: 20	008-6-28			
客户确认 CUSTOMER RECEIVED:								
审核 CHECKED		批准	APPROVED	日期 DATE				

无锡市好达电子有限公司 Shoulder Electronics Limited



更改历史记录 History Record

更改日期 Date	规格书编号 Spec No	产品型号 Part No	客户产品型号 Customer No	更改内容描述 Modify Content	备注 Remark



CERAMIC FILTER LTWC450F

1. THIS SPECIFICATION SHALL COVER THE CHARACTERISTICS OF SMD TYPE CERAMIC FILTER WITH 450KHz ,INTENED FOR USE IN TRANSCEIVERS,ETC.

2. PART NUMBER: LTWC450F

ELECTRONICAL SPECIFICATIONS 3.

> A. CENTRE FREQUENCY(f_o) 450KHz±1.0KHz.Max. B. BAND WIDTH AT 6dB ±6.0KHzMin(TO 450KHz) C. BAND WIDTH AT 50dB ± 12.5 KHzMax(TO 450KHz) D. STOP BAND ATTENUATION 50dBMin.(AT $f_{\circ} \pm 100$ KHz) E: RIPPLE 2.0dBMax.(AT f_{\circ} ± 6.5 KHz)

F: INSERTION LOSS 4.0dBMax.(AT THE SMALLEST LOSS)

G: TEMPRATURE COEFFICIENT

OF CENTER FRENQUENCY ±5 PM/°C MAX.(-20 TO +80 °C) :

J: INPUT/OUPUT IMPEDANCE 1.5K Ω

NOTE: A) CENTER FREQUENCY SHALL BE DEFIED AS THE CENTRAL

VALUE OF THE BAND WITH AT 6dB


TEMPRATURE COEFFICIENT OF CENTER FREQUENCY SHALL B) BE DEFINED AS THE AVERAGE OF THE CENTRAL FREQUECY.

MEASUREMENT 4.

A. ENVIRONMENTAL CONDITION

MEASUREMENT SHALL BE CARRIED OUT AT THE REFERENCE TEMPERATURE OF 25°C±2°C. IT SHALL BE POSSIBLY DONE AT 5°CTO 35°C UNLESS IT IS QUESTIONABLE.

B. MEASURING CIRCUIT



Rg+R1=R2=Input/ouput Impedance

#S.S.G (STANDARD SIGNAL GENEATION)

R.F.V.M. (RADIO FREQUENCY VOLTAGE METER)


 $Rg+R1=R2=1.5K\Omega$

C<=50 PF

5. DIMENSIONS(mm)



CERAMIC FILTER



6. ENVIRONMENTAL CHARACTERISTICS

6-1 HIGH TEMPERATURE EXPOSURE

SUBJECT THE FILTER TO $+80^{\circ}$ C FOR 96 HOURS. THEN RELEASE THE FILTER INTO THE ROOM CONDITIONS FOR 1 TO 2 HHOURS PRIOR TO THE MEASUREMENT. IT SHALL FULFILL THE SPECIFICATIONS IN TABLE 1.

6-2 MOISURE

KEEP THE FILTER AT 40° C AND 95%RH FOR 96 HOURS.THEN RELEASE THE FILTER INTO THE ROOM CONDITIONS FOR 1 TO 2 HOURS PRIOR TO THE MEASUREMENT. IT SHALL FULFILL THE SPECIFICATIONS IN TABLES 1.

6-3 LOW TEMPERATURE EXPOSURE

SUBJECTTHE FILTER TO $-20\,^{\circ}$ C FOR 96 HOURS..THEN RELEASE THE FILTER INTO THE ROOM CONDITIONS FOR 1 TO 2 HOURS PRIOR TO THE MEASUREMENT. IT SHALL FULFILL THE SPECIFICATIONS IN TABLE 1.

6-4 TEMPERATURE CYCLING

SUBJECT THE FILTER TO A LOW TEMPERATURE OF -55 $^{\circ}$ C FOR 30 MINUTES.FOLLOWSING BY A HIGH TEMPERATURE OF +85 $^{\circ}$ C FOR 30 MINUTES.THEN RELEASE THE FILTER INTO THE ROOM CONDITIONS FOR 1 TO 2 HOURS PRIOR TO THE MESUREMENT.IT SHALL MEET THE SPECIFICATIONS IN TABLE 1.

6-5 RESISTANCE TO SOLDER HEAT

DIP THE FILTER TERMINALS NO CLOSER THAN 1.5mm INTO THE SOLDER BATH AT $270\,^{\circ}\text{C}\pm10\,^{\circ}\text{C}$ FOR 10 ± 1 SEC.THEN RELEASE THE FILTER INTO THE ROOM CONDITIONS FOR 1 TO 2 HOURS. THE FILTER SHALL MEET THE SPECIFICATIONS IN TABLE 1

6-6 MECHANICAL SHOCK

DROP THE FILTER RANDOMLY ONTO THE CONCRETE FLOOR FROM THE HEIGHT OF 30cm 3 TIMES. THE FILTER SHALL FUFILL THE SPECIFICATIONS IN TABLE 1.

6-7 VIBATION

SUBJECT THE FILTER TO THE VIBRATION FOR 1 HOUR EACH IN X,Y AND ZAXES WITH



CERAMIC FILTER

THE AMPLITUDE OF 1.5mm AT 10 TO 55 Hz.THE FILTER SHALL FULFILL THE SPECIFICATIONS IN TABLE 1.

6-8 LEAD FATIGUE

6-8-1 PULLING TEST

WEIGHT ALONG WITH THE DIRECTION OF LEAD WITHOUT AN SHOCK 3 KG.THE FILTER SHALL SATISFY ALL THE INITIALL CHARACTRISTICS.

6-8-2 BENDING TEST

LEAD SHALLBE SUBJECT TO WITHSTAND AGAINST 90°C BENDING IN THE DERECTION OF THICKNESS.THIS OPERATION SHALL BE DONE TOWARD BOTH DIRECTION.THE FILTER SHALL SHOW NO EVIDENCE OF DAMAGE AND SHALL SATISFY ALL THE INITIAL ELECTRICAL CHARACTERISTICS.

TABLE 1

ITEM	SPECIFICTION		
CENTRE FREQUENCY(f。)	450±1.0KhzMax		
BAND WIDTH(6dB)	±6.0KHzMin		
SELECTIVITY(50dB)	±12.5KhzMax		
STOP BAND ATTENUATION	50dBMin(f0±100 Khz)		
RIPPLE	2.0dBMax		
INSERTION LOSS	4.0dBMax		